



PARTS C A P

# AccuStyle 815 Series - Rosco



Side view mirrors

Rosco Mirrors (<http://roscomirrors.com>)

## Product Highlights

### Feature or benefit

- Lightweight, vibration reducing design.
- Certified by OEMs to meet FMVSS-111 requirements.
- Same model can be mounted as upright, overhang, or two point mount.
- Reduces inventory of replacement parts.
- Aerodynamic, wind tunnel tested profile has lower drag coefficient for increased fuel economy.
- Available motorized or hand adjustable.
- Available with heated and LED turn signal options.
- Each motorized mirror lens is four way adjustable.
- Hidden wire and connectors.
- Black or Chrome finish is available.
- Full height rear entry cap allows for simple installation and ease of maintenance, including access to all wires and harnesses.

## Top Movers - Rosco Accustyle 815

| Part Number | Description   |
|-------------|---|
| RPS 815     | 8" x 15" dual mirror two point mount, motorized, 12 volt          |
| RPS 815/1   | 7" x 9.5" flat mirror glass                                       |
| RPS 815/4   | 7" x 9.5" flat mirror carrier and motor assembly                  |
| RPS 8150GH  | 8" x 15" dual mirror, overhang mount, motorized, 12 volt, heated  |
| RPS 815DH/1 | 7" x 4" covex mirror glass, heated                                |
| RPS 815H    | 8" x 15" dual mirror, two point mount, motorized, 12 volt, heated |
| RPS 815H1   | 7" x 9.5" flat mirror glass, heated                               |
| RPS 815U    | 8" x 15" dual mirror, upright mount, hand adjustable              |
| RPS 815UH   | 8" x 15" dual mirror, upright mount, hand adjustable, heated      |

# REPLACEMENT PARTS

| PART NO.     | DESCRIPTION   |
|--------------|---|
| 815/1        | 7" x 9.5" flat mirror glass                                   |
| 815D/1       | 7" x 4" convex mirror glass                                   |
| 815/4        | 7" x 9.5" flat mirror carrier and motor assembly              |
| 815D/4       | 7" x 4" convex mirror carrier and motor assembly              |
| M815/4       | 7" x 9.5" flat mirror carrier and hand swivel assembly        |
| M815D/4      | 7" x 4" convex mirror carrier and hand swivel assembly        |
| CAP1042      | Rear access cover for 815 mirror head, two point mount        |
| CAP1056      | Rear access cover for 815 mirror head, overhang or upright mt |
| CAP1034      | Grommet, rubber, for 1" tube, no harness hole                 |
| CAP1058      | Grommet, rubber, for 3/4" tube, no harness hole               |
| CAP1044      | Grommet, rubber, for 1" tube, harness hole                    |
| CAP1045      | Grommet, rubber, for 3/4" tube, harness hole                  |
| 815/SHELL    | 815 two point mount housing (includes internal spine/clamps)  |
| 815OGU/SHELL | 815 overhang/upright housing (includes internal spine/clamps) |
| 815SL/1      | 7" x 9.5" flat mirror glass with Left signal LEDs             |
| 815SR/1      | 7" x 9.5" flat mirror glass with Right signal LEDs            |

**For Heated Mirrors, Add "H" to the End of All Part Numbers Without a "/"  
or Add "H" in Front of the "/" When Present.**

## General Product Information

### AccuStyle:

The AccuStyle® mirror is a versatile and uniquely stylized product with application in nearly every industry. The AccuStyle® mirror head can be mounted on mirror arms which are 3/4" O.D. tube up through 1-1/8" O.D. tube via the removable clamp cover on the back of the mirror shell – making OEM installation as well as aftermarket retrofit a breeze. The AccuStyle® mirror can be mounted on a traditional arm or “loop” (two-point mount), or can be a single point overhang or upright mount. Finishes are available in black and chrome.

## Warranty Information

We warrant that all ROSCO mirror, camera, sun visor, and electronic vision products are free from defects in workmanship and materials for a period of ONE (1) YEAR (unless specified longer) from the date of receipt of the product. During the warranty period, we agree to provide a replacement for (or at our option repair) any ROSCO product and/or any one or more component parts of a ROSCO product, which malfunctions under normal use and service.

[^Back to Top](#)

Copyright © Daimler Truck North America LLC. [Privacy Statement, Legal Notices and Terms \(https://daimler-trucksnorthamerica.com/privacy-policy\)](https://daimler-trucksnorthamerica.com/privacy-policy).

All rights reserved. Daimler Truck North America LLC is a [Daimler \(http://www.daimler.com/\)](http://www.daimler.com/) company.

---